## UM-SOLAR.

# Solar Laminate PVL-Series Model: PVL-128

- High Temperature and Low Light Performance
- 20 Year Warranty on Power Output at 80%
- Quick-Connect Terminals\* and Adhesive Backing
- · Bypass Diodes for Shadow Tolerance
- UL 1703 Listed to 600 VDC (♣)
- IEC 61646 v1 certified
- IEC 61646 v2 and 61730, TUV certification pending

#### Performance Characteristics

Rated Power ( $P_{max}$ ): 128 Wp Production  $P_{max}$  Tolerance:  $\pm 5 \%$ 

#### **Construction Characteristics**

Dimensions: Length: 5486 mm (216"), Width: 394 mm (15.5"), Depth: 4 mm (0.2"),

16 mm (0.6") including potted terminal housing assembly

Weight: 7.7 kg (17.0 lbs)

Output Cables: 4 mm² (12 AWG) cable with weatherproof DC rated quick-connect terminals\*

560mm (22") length.

By-pass Diodes: Connected across every solar cell

Encapsulation: Durable ETFE high light-transmissive polymer

Adhesive: Ethylene propylene copolymer adhesive-sealant with microbial inhibitor Cell Type: 22 triple junction amorphous silicon solar cells 356 mm x 239 mm

(14" x 9.4") connected in series

#### Qualifications and Safety



Listed by Underwriter's Laboratories for electrical and fire safety (Class A Max. Slope 2/12, Class B Max. Slope 3/12, Class C Unlimited Slope fire ratings) for use in systems up to 600 VDC.

#### **Laminate Standard Configuration**

Photovoltaic laminate with potted terminal housing assembly with output cables and quick-connect terminals\*

#### **Application Criterion**

- New or qualified new roof installations
- Installation by certified installers only
- Installation temperature between 10 °C 40 °C (50 °F 100 °F)
- Maximum roof temperature 85 °C (185 °F)
- Minimum slope: 5/8:12 (3°)
- Maximum slope 21:12 (60°)
- Membrane: Select EPDM and TPO substrates from approved manufacturers only
- Metal: PVDF Coated (Galvalume<sup>®</sup> or Zincalume<sup>®</sup>) steel metal roofing pan with flat surface (without pencil beads or decorative stippling) and 406 mm (16") minimum width

Refer to manufacturers installation guide for approved substrates and installation methods

\*e.g., Multi-Contact (MC®) Connectors





exible



Lightweight



No-Glass



Durable



Shadow Tolerant





#AA5-3651-02

## UM-SOLAR.

# Solar Laminate PVL-Series Model: PVL-128

IV Curves at various Levels of Irradiance at Air Mass 1.5 and 25 °C Cell Temperature





All measurements in mm. Inches in parentheses.

Tolerances: Length: ± 5 mm (1/4"), Width: ± 3 mm (1/8")

#### **Electrical Specifications**

#### STC

(Standard Test Conditions) (1000 W/m², AM 1.5, 25 °C Cell Temperature)

Maximum Power ( $P_{max}$ ): 128 W Voltage at Pmax ( $V_{mp}$ ): 33.0 V Current at Pmax ( $I_{mp}$ ): 3.88 A Short-circuit Current ( $I_{sc}$ ): 4.8 A Open-circuit Voltage ( $V_{oc}$ ): 47.6 V Maximum Series Fuse Rating: 8 A

#### **NOCT**

(Nominal Operating Cell Temperature) (800 W/m², AM 1.5, 1 m/sec. wind)

Maximum Power ( $P_{max}$ ): 100 W Voltage at Pmax ( $V_{mp}$ ): 30.8 V Current at Pmax ( $I_{mp}$ ): 3.24 A Short-circuit Current ( $I_{sc}$ ): 3.9 A Open-circuit Voltage ( $V_{oc}$ ): 43.5 V NOCT: 46 °C

#### **Temperature Coefficients**

(at AM 1.5, 1000 W/m<sup>2</sup> irradiance)

Temperature Coefficient (TC) of  $I_{sc}$ : 0.001/°K(0.10%/°C)
Temperature Coefficient (TC) of  $V_{oc}$ : -0.0038/°K (-0.38%/°C)
Temperature Coefficient (TC) of  $P_{max}$ : 0.0021/°K (-0.21%/°C)
Temperature Coefficient (TC) of  $I_{mp}$ : 0.001/°K (0.10%/°C)
Temperature Coefficient (TC) of  $V_{mp}$ : -0.0031/°K (-0.31%/°C)  $y = yreference \cdot f1 + TC \cdot (T-Treference)f$ 

#### Notes

- During the first 8-10 weeks of operation, electrical output exceeds specified ratings. Power output may be higher by 15 %, operating voltage may be higher by 11 % and operating current may be higher by 4 %.
- Electrical specifications are based on measurements performed at standard test conditions of 1000 W/m<sup>2</sup> irradiance, Air Mass 1.5, and cell temperature of 25 °C after stabilization.
- Actual performance may vary up to 10 % from rated power due to low temperature operation, spectral and other related effects. Maximum system open-circuit voltage not to exceed 600 VDC per UL.
- 4. Specifications subject to change without notice.

Your UNI-SOLAR® Distributor:				

### Global Headquarters Sales & Manufacturing

United Solar Ovonic LLC 2956 Waterview Drive Rochester Hills, MI 48309 Tel: 248.293.0440 Fax: 248.844.1214 Toll Free (USA): 800.528.0617 info@uni-solar.com

#### **European Sales Office**

United Solar Ovonic Europe GmbH Trakehner Strasse 7-9 D-60487 Frankfurt am Main Germany

Tel: +49.69.7137667.20 Fax: +49.69.7137667.67 europeinfo@uni-solar.com

### Southern European Sales Office

United Solar Ovonic Europe GmbH Via Monte Baldo, 4 I-37069 Villafranca (VR) Italy

Tel: +39.045.8600982 Fax: +39.045.8617738 italyinfo@uni-solar.com

#### www.uni-solar.com

A subsidiary of Energy Conversion Devices, Inc. (Nasdaq: ENER)