

## Specification Sheet

Part Number: 596-03945



The most complete collection of required PV labels in one package, saving you time with one-order simplicity.

ALL labels are NEC 2020 compliant, eliminating guesswork and the risk of a failed inspection due to nonconforming labeling.

Long-lasting, permanent adhesive ensures high-performance results on a variety of metals, paints and man-made materials.

Solar Label Value Pack, NEC 2020, Red/Orange, 45 per kit, 1/pkg

Article Number 596-03945

Type 2020KIT

Color Various (MIX)

Quantity Per pack

**Product Description** The HellermannTyton Solar Label Value Pack contains an assortment of the labels required for NEC 2020 code compliance. All labels are made from UV stable vinyl and dye-based inks and protected by a weather-resistant laminate. A permanent adhesive adds to their lasting performance. This label kit is a convenient, low-cost solution for helping to ensure your solar installation passes inspection.

**Short Description** Solar Label Value Pack, NEC 2020, Red/Orange, 45 per kit, 1/pkg

Global Part Name

2020KIT-416/281-MIX

Contents of pkg/kit

- (6) 1" x 6.5" PHOTOVOLTAIC POWER SOURCE
- (1) 1" x 6.5" RAPID SHUTDOWN FOR SOLAR PV SYSTEM
- (1) 1" x 6.5" DO NOT DISCONNECT UNDER LOAD
- (1) 1" x 5" DC PHOTOVOLTAIC SOURCE CIRCUIT
- (2) 3.75" x 1" MAXIMUM DC VOLTAGE OF PV SYSTEM (Red)
- (1) 4" x 6" SOLAR PV SYSTEM EQUIPPED WITH RAPIC SHUTDOWN (Yellow)
- (6) 1" x 6.5" SOLAR PV DC CIRCUIT
- (1) 1.75" x 5.5" MAIN PHOTOVOLTAIC SYSTEM AC DISCONNECT
- (1) 1" x 3.75" PHOTOVOLTAIC DC DISCONNECT
- (1) 1" x 3.75" PHOTOVOLTAIC AC DISCONNECT
- (2) 1" x 4" DC JUNCTION BOX
- (1) 1" x 4" PHOTOVOLTAIC SYSTEM kWh METER
- (1) 1" x 4" DC COMBINER BOX
- (1) 1" x 4" CAUTION: DO NOT INSTALL ADD'L LOADS IN THIS PANEL
- (1) 2" x 4" WARNING THIS SERVICE METER IS ALSO SERVED BY A PHOTOVOLTAIC SYSTEM
- (1) 2" x 4" WARNING THIS EQUIPMENT FED...AMPACITY OF BUSBAR
- (1) 2" x 4" WARNING DUAL POWER SUPPLY, ETC.
- (2) 2" x 3.75" ELECTRICAL SHOCK HAZARD, ETC.
- (1) 1" x 4" WARNING PV SOURCE CIRCUIT
- (1) 1" x 4" WARNING INVERTER INPUT CIRCUIT
- (1) 1" x 4" CAUTION INVERTER OUTPUT CIRCUIT
- (1) 0.75" x 4.125" WARNING POWER SOURCE...OVERCURRENT DEVICE
- (2) 0.75" x 4.125" CAUTION PHOTOVOLTAIC SYSTEM CIRCUIT IS BACKFED
- (2) 1" x 3.75" PHOTOVOLTAIC AC DISCONNECT RATED OUTPUT
- (1) 1" x 6.5" CAUTION: SOLAR ELECTRIC SYSTEM CONNECTED
- (1) 3.75" x 5" Circuit Labels Sheet, 6 Each
- (1) ELECTRICAL SHOCK HAZARD: DC Voltage Always Present
- (1) THE DISCONNECTION OF THE GROUNDED CONNECTORS
- (1) TURN OFF PHOTOVOLTAIC AC DISCONNECT.

Material

Type 416/281, UV-stabilized flexible white vinyl with clear polyester laminate (416/281)

Material Shortcut

416/281

Adhesive Acrylic

Halogen Free Yes

ROHS Compliant Yes

Package Quantity (Imperial) 1

Package Quantity (Metric) 1